TURF TOE

What is turf toe?

Turf toe is pain at the joint where the big toe attaches to the rest of the foot.

How does it occur?

Turf toe can result from excessive pushing off of the big toe when you run or jump. Jamming the toe into a hard surface can also cause turf toe.

What are the symptoms?

You have pain where your big toe attaches to your foot. You may have difficulty bending and straightening your toe. Your toe joint may be swollen.

How is it diagnosed?

Your healthcare provider will ask about your symptoms and examine your toe. He or she may order an X-ray to be sure you did not break your toe.

Turf toe can sometimes look like gout, a type of arthritis of the big toe. Your provider may order tests to be sure you do not have gout.

How is it treated?

Treatment may include the following:

- Put ice packs on your toe for 20 to 30 minutes every 3 to 4 hours for the first 2 to 3 days or until the pain goes away.
- Elevate your foot on a pillow.
- Take anti-inflammatory medicines prescribed by your healthcare provider.

One of the keys to treating turf toe is keeping the toe from moving too much. Your toe can be taped to restrict how much it moves. You may have a special insole placed in your shoe that will reduce the movement of your big toe.

When can I return to my sport or activity?

The goal of rehabilitation is to return you to your sport or activity as soon as is safely possible. If you return too soon you may worsen your injury, which could lead to permanent damage. Everyone recovers from injury at a different rate. Return to your sport or activity will be determined by how soon your toe recovers, not by how many days or weeks it has been since your injury occurred. In general, the longer you have symptoms before you start treatment, the longer it will take to get better.

You may safely return to your sport or activity when, starting from the top of the list and progressing to the end, each of the following is true:

- You have full range of motion in the injured toe compared to the uninjured toes.
- You have full strength of the injured toe compared to the uninjured toes.
- You can jog straight ahead without pain or limping.
- You can sprint straight ahead without pain or limping.
- You can do 45-degree cuts, first at half-speed, then at full-speed.
- You can do 20-yard figures-of-eight, first at half-speed, then at full-speed.
- You can do 90-degree cuts, first at half-speed, then at full-speed.
- You can do 10-yard figures-of-eight, first at half-speed, then at full-speed.
- You can jump on both feet without pain and you can jump on the foot with the injured toe without pain.

How can I prevent turf toe?

Turf toe is best prevented by wearing good shoes that fit properly and by avoiding jamming your big toe into a hard surface.

TURF TOE



PAGE 1 OF 2 PAGES

F00T

TURF TOE REHABILITATION EXERCISES

1. TOWEL PICKUP: With your heel on the ground, pick up a towel with your toes. Release. Repeat 10 to 20 times. When this gets easy, add more resistance by placing a book or small weight on the towel.



2. BALANCE AND REACH EXERCISES

Stand upright next to a chair. This will provide you with balance if needed. Stand on the foot farthest from the chair. Try to raise the arch of your foot while keeping your toes on the floor.

- A. Keep your foot in this position and reach forward in front of you with your hand farthest away from the chair, allowing your knee to bend. Repeat this 10 times while maintaining the arch height. This exercise can be made more difficult by reaching farther in front of you. Do 2 sets.
- B. Stand in the same position as above. While maintaining your arch height, reach the hand farthest away from the chair across your body toward the chair. The farther you reach, the more challenging the exercise. Do 2 sets of 10.

BALANCE AND REACH EXERCISES

Copyright © 2010 McKesson Corporation and/or its affiliates. All rights reserved. Permission to copy for patient education. www.sportsmedpress.com
PAGE 2 OF 2 PAGES